a

Printed by HPS Server for

Walk-Up_Printing

Printer: cm1_11e14_gbegptr

Date: 07/15/03

Time: 11:57:49

Document Listing

| Document | Selected Pages | Page Range | Copies |
|-------------|----------------|------------|--------|
| US004956477 | 19 | 1 - 19 | 1 |
| US005547836 | 22 | 1 - 22 | 1 |
| US005631167 | 18 | 1 - 18 | 1 |
| Total (3) | 59 | - | - |

X107/15 485/73

INTERLIBRARY LOAN FORM

Examiner: Ralph Gitomer

Telephone Number: 308-0732 Serial Number: 09/883,586 Art Unit: 1651/ Date Requested: 4/15/03

Date Needed: sometime

Please attach copy of abstract, citation or bibliography,

available

ONLY ONE REQUEST PER FORM

Schaap A. Paul Chemical and Enzymatic Triggering... Office of Naval Research 1R 051-840 Technical Report #3, 3/1967


| PIO Call | to call No. | | | Accession Number | | | | |
|------------------------|-------------|---------------------------------------|-------------|------------------|----------|-----|---------|------|
| SCIENTIFIC | C LIBRARY | USE ON | ΛY | | | | | , |
| ACTION DATE | LS//4 | NAL | NIH | NLM | NBS | PTO | OTHER S | 7/17 |
| INITIALS | 11/1/2 | · · · · · · · · · · · · · · · · · · · | | | | | NTIS | |
| RESULTS | 1402 | | | | <u> </u> | | | |
| EXAMINER CALLED | | | | | | | | |
| PAGE COUNT MONEY | | | | | | | | |
| SPENT | | | | | | | | |



CHEMICAL AND ENZYMATIC TRIGGERING OF 1,2-DIOXETANES. 2. FLUORIDE-INDUCED CHEMILUMINESCENCE FROM TERT-BUTYLDIMETHYLSILYLOXY-SUBSTITUTED DIOXETANES

WAYNE STATE UNIV., DETROIT, MI. DEPT. OF CHEMISTRY


17 MAR 1987



U.S. Department of Commerce Nati nal Technical Informati n S rvice


On S urce. On Search. One S luti n.

NTIS



Providing Permanent, Easy Access to U.S. Government Information

National Technical Information Service is the nation's largest repository and disseminator of government-initiated scientific, technical, engineering, and related business information. The NTIS collection includes almost 3,000,000 information products in a variety of formats: electronic download, online access, CD-ROM, magnetic tape, diskette, multimedia, microfiche and paper.





Search the NTIS Database from 1990 forward

NTIS has upgraded its bibliographic database system and has made all entries since 1990 searchable on **www.ntis.gov.** You now have access to information on more than 600,000 government research information products from this web site.

Link to Full Text Documents at Government Web Sites

Because many Government agencies have their most recent reports available on their own web site, we have added links directly to these reports. When available, you will see a link on the right side of the bibliographic screen.

Download Publications (1997 - Present)

NTIS can now provides the full text of reports as downloadable PDF files. This means that when an agency stops maintaining a report on the web, NTIS will offer a downloadable version. There is a nominal fee for each download for most publications.

For more information visit our website:

www.ntis.gov



ADA178500

OFFICE OF NAVAL RESEARCH

Contract N00014-82-K-0696

Task No. NR 051-840

TECHNICAL REPORT #3

CHEMICAL AND ENZYMATIC TRIGGERING OF 1,2-DIOXETANES 2: FLUORIDE-INDUCED CHEMILUMINESCENCE FROM TERT-BUTYLDIMETHYLSILYLOXY-SUBSTITUTED DIOXETANES

by

A. Paul Schaap, Tsae-Shyan Chen, Richard Handley, Renuka DeSilva, and B. P. Giri

Prepared for Publication

in

Tetrahedron Letters

Department of Chemistry Wayne State University Detroit, MI 48202

March 17, 1987

| Accesi | on For | | | |
|---|-------------------------|-------------|--|--|
| NTIS CRA&I D DTIC TAB Unannounced Justification | | | | |
| By Distribution / | | | | |
| Availability Codes | | | | |
| Dist | Avail and/or Special | | | |
| A-1 | | | | |

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

REPRODUCED BY:
U.S. Department of Commerce
National Technical Information Service
Springfield, Virginia 22161

This document has been approved for public release and sale; its distribution is unlimited.



CHEMICAL AND ENZYMATIC TRIGGERING OF 1,2-DIOXETANES. 2: FLUORIDE-INDUCED CHEMILUMINESCENCE FROM TERT-BUTYLDIMETHYLSILYLOXY-SUBSTITUTED DIOXETANES

A. Paul Schaap*, Tsae-Shyan Chen, Richard S. Handley, Renuka DeSilva, and Brij P. Giri Department of Chemistry, Wayne State University, Detroit, MI 48202

Abstract: Thermally stable 1,2-dioxetanes bearing tert-butyldimethylsilyloxyaryl groups have been prepared. Reaction of these dioxetanes with fluoride ion at ambient temperature in MeCN and DMSO generates chemiluminescence with efficiencies up to 25%.

In 1982 we demonstrated that chemiluminescence from a 1,2-dioxetane bearing a phenolic substituent could be triggered by the addition of base. Deprotonation generates an unstable phenoxide-substituted dioxetane which decomposes 4.4 x 10⁶ times faster than the protonated form. We have now used this initial observation to develop other methods for triggering the chemiluminescent decomposition of thermally stable dioxetanes. For example, we have recently shown that a naphthyl acetate-substituted dioxetane can be enzymatically cleaved in aqueous buffers using aryl esterase. We now provide the first example of chemical triggering of silyloxy-substituted dioxetanes by fluoride in DMSO or MeCN to generate chemiluminescence with efficiencies up to 25%.

Dioxetanes 2a-c were prepared by photooxygenation of the corresponding alkenes³ in CH₂Cl₂ using polymer-bound Rose Bengal⁴ (SENSITOX I) and a 1000-W high-pressure sodium lamp. After 15 - 30 min irradiation the sensitizer was removed by filtration and the solvent evaporated under vacuum. Recrystallization of the material from pentane or chromatography over silica gave the dioxetanes.⁵ Rate constants for the thermal decomposition of 2a-c were obtained at 80 to 120 °C from measurements of the decay of chemiluminescence intensity of 10⁻⁴ M solutions in o-xylene.⁶ Chemiluminescence spectra from 2a-c all exhibited a maximum at 437 nm indicating that the luminescence is derived from singlet excited adamantanone and not the phenyl or naphthyl esters. Rates showed variations of less than 3% and gave excellent Arrhenius plots (r > 0.99) with activation energies for 2a-c of 29.7, 27.0, and 28.4 (± 1) kcal/mol, respectively (Table 1). Half-lives for 2a-c at 25 °C are calculated to be several years.⁷ These results demonstrate the high degree of stabilization that can be obtained with sterically hindered adamantyl-substituted dioxetanes.⁸

Table 1. Activation Parameters and Rates of Decomposition for 1,2-Dioxetanes 2a-c in o-Xylene.

| E _a (kcal/mol) | log A | k(sec ⁻¹) at 25 °C | half-life at 25 ^O C ^a |
|---------------------------|--------------|--------------------------------|---|
| 29.7 | 13.2 | 3.17 x 10 ⁻⁹ | 6.9 years |
| 27.0 | 11.7 | 8.72 x 10 ⁻⁹ | 2.5 years |
| 28.4 | 12.6 | 5.74 x 10 ⁻⁹ | 3.8 years |
| | 29.7 27.0 | 29.7 13.2 27.0 11.7 | 29.7 13.2 3.17 x 10 ⁻⁹ 27.0 11.7 8.72 x 10 ⁻⁹ |

(a) Calculated from the Arrhenius plots.

Deprotection of silyl ethers with fluoride is a widely used reaction in modern organic synthesis. We have now used this procedure to generate the unstable, chemiluminescent aryloxide dioxetanes 3b and 3c from the thermally stable forms 2b and 2c, respectively. In a typical experiment injecting an aliquot of an o-xylene solution of dioxetane 2b into 3 mL of 0.001 M n-Bu₄NF in MeCN to give a final dioxetane concentration of 10^{-5} M produced a flash of blue chemiluminescence which decayed by a pseudo-first-order process with a half-life of less than 1 sec at room temperature. The spectrum of the resulting chemiluminescence exhibited a maximum at 470 nm which was identical to the fluorescence of $4b^{10}$ and the fluorescence of the spent dioxetane solution under these conditions. No chemiluminescence derived from adamantanone fluorescence appears to be produced. Analysis of the crude product mixture resulting from treatment of a sample of 2b with 1 equivalent of n-Bu₄NF by ¹H NMR and UV revealed only the expected cleavage products: adamantanone and the tetra-n-butylammonium salt of methyl 6-hydroxy-2-naphthoate in a 1:1 ratio.

The chemiluminescence quantum yield for the fluoride-triggered decomposition of dioxetane 2b was measured relative to the luminol standard¹¹ using a photon-counting apparatus.¹² Fluoride-triggered decomposition of 10^{-5} M solutions of 2b in MeCN at 25 °C produced chemiluminescence with a quantum yield of 4 x 10^{-5} which was independent of fluoride concentration in the range 10^{-2} to 10^{-4} M. Correction for the fluorescence quantum yield of 4b in MeCN under identical conditions leads to a calculated chemiexcitation quantum yield of 1.1×10^{-4} or an efficiency for the formation of singlet excited 4b of 0.01% (Table 2).¹³

In contrast to the low chemiluminescence quantum yield on triggering the decomposition of 2b, we find that treatment of 2c with fluoride produces chemiluminescence with dramatically higher efficiency. Addition of excess n-Bu₄NF to 10⁻⁷ M solutions of dioxetane 2c in MeCN resulted in a rapid decomposition of 2c accompanied by bright blue chemiluminescence with a half-life of 5 sec at 25 °C. The pseudo-first-order rate constant was independent of fluoride concentration in the range 6.7 x 10⁻⁵ to 3.3 x 10⁻³ M. The spectrum of the resulting chemiluminescence exhibited a maximum at 470 nm in MeCN which matched exactly the fluorescence of 4c under these conditions. Similar experiments were conducted in DMSO (Figure 1).¹⁴ Quantum yields for the chemiluminescence of 2c with

Table 2. Fluoride-Induced Chemiluminescence from Dioxetanes 2b and 2c.

| dioxetane | solvent | Φ^a_{CL} | Φ_{F}^{b} | Φ_{CE}^{c} |
|-------------------|----------------------|--------------------------------|----------------------|----------------------------------|
| 2 b 2 c 2 c | MeCN MeCN DMSO | 4 x 10 ⁵ 0.094 0.25 | 0.37 0.21 0.44 | 1.1 x 10 ⁻⁴ 0.45 0.57 |

(a). Chemiluminescence quantum yields. (b). Fluorescence quantum yields for cleavage products 4b and 4c relative to quinine sulfate with a value of 0.54.

(c). Quantum yields for the formation of the singlet excited state of 4b and 4c.

fluoride were determined in MeCN and DMSO¹⁵ relative to the luminol standard and found to be 0.094 and 0.25, respectively (Table 2). Correction for the fluorescence quantum yields of 4c in these solvents gives <u>efficiencies for the formation of singlet excited 4c of 45 and 57%</u>, one of the highest singlet chemiexcitation efficiencies yet reported for a dioxetane.¹⁶

These results are readily explained by a mechanism initiated by cleavage of the Si-O bond by fluoride to generate the unstable dioxetanes 3b and 3c. The lack of any dependence of the rate of decay of the chemiluminescence on fluoride concentration suggests that the rate-limiting step under these conditions may be the cleavage of the aryloxide dioxetanes 3b and 3c. The rapid decomposition of these intermediates is induced by an intramolecular electron transfer from the strongly electron-donating phenoxide type substituent to the peroxide σ^* orbital. Similiar mechanisms have been proposed for the efficient chemiluminescence from dioxetanes bearing easily oxidized substituents. Chemiluminescence has also been observed from intermolecular electron-transfer reactions between peroxides and fluorescent hydrocarbons. The reason for the significant difference in the chemiexcitation efficiencies of 3b and 3c is currently under investigation. We have prepared the corresponding p-ten-butyldimethylsilyloxyphenyl-substituted dioxetane and found the chemiexcitation efficiency to also be less than 0.01% in that case.

We are continuing our work with dioxetane 2c and related derivatives with a view towards the possible use of this system as a convenient liquid light standard. Solutions of 2c prepared in o-xylene exhibit high stability and can be stored for long periods. A stock solution of 2c kept at room temperature gave identical results after one month. Typically, the calibration of a luminometer can be carried out by injecting 30 μ L of a 10⁻⁵ \underline{M} solution of 2c into 3 mL of a 0.003 \underline{M} solution of n-Bu₄NF in dry DMSO. The luminescence is emitted over a 20 sec period with 1-2% reproduciblity for the total light emission.




Figure 1. Chemiluminescence spectrum from fluoride triggering of dioxetane 2c in DMSO (---). Fluorescence spectrum of 4c under the same conditions (----).

Acknowledgments. Support of this research by the Office of Naval Research is gratefully acknowledged. We also wish to thank Mr. Marc Budrick for his assistance with the synthesis of the alkenes.

References and Notes

1. Schaap, A. P.; Gagnon, S. D. J. Am. Chem. Soc. 1982, 104, 3504.

2. Schaap, A. P.; Handley, R. S.; Giri, B. P. J. Am. Chem. Soc., submitted for publication.

3. The preparation of the alkenes will be described in a subsequent paper.

4. Schaap, A. P., Thayer, A. L., Blossey, E. C., Neckers, D. C. J. Am. Chem. Soc. 1975, 97, 3741.

5. 4-Methoxy-4-(2-naphthyl)spiro[1,2-dioxetane-3,2'-adamantane] (2a); μp 116 °C (dec); ¹H NMR δ 0.9-2.0 (m, 12H), 2.22 (s, 1H), 3.11 (s, 1H), 3.24 (s, 3H), 7.0-8.3 (m, 7H); ¹³C NMR δ 25.94, 26.07, 31.60, 31.72, 32.31, 33.08, 33.23, 34.88, 36.42, 50.00, 95.60, 112.33, 125.21, 126.47, 127.02, 127.63, 127.91, 128.67, 129.41, 132.13, 132.85, 133.61. 4-(6-tert-Butyldimethylsilyloxy-2-naphthyl)-4-methoxyspiro[1,2-dioxetane-3,2'-adamantane] (2b): mp 107 °C (dec); ¹H NMR δ 0.27 (s, 6H), 1.03 (s, 9H), 1.4-2.0 (m, 12H), 2.2 (s, 1H), 3.1 (s, 1H), 3.23 (s, 3H), 7.1-7.85 (m, 6H); ¹³C NMR δ -4.33, 18.23, 25.67, 25.93, 26.06, 31.59, 31.69, 32.31, 33.04, 33.19, 34.86, 36.42, 49.94, 95.59, 112.44, 114.63, 122.58, 126.64, 128.50, 129.85, 130.11, 134.93, 154.59. 4-(3-tert-Butyldimethylsilyloxyphenyl)-4-methoxyspiro[1.2-dioxetane-3,2'-adamantane](2c): oil, ¹H NMR δ 0.20 (s, 6H), 0.99 (s, 9H), 1.26-1.90 (m, 13H), 3.02 (s, 1H), 3.23 (s, 3H), 6.86-7.30 (m, 4H); ¹³C NMR δ -4.34, 18.33, 25.77, 26.18, 26.07, 31.62, 31.70, 32.50, 33.00, 33.26, 34.80, 36.56, 49.94, 95.30, 111.91, 119.32, 121.26, 123.90, 129.18, 136.10, 155.86.

6. MMR-experiments have shown that 2b-c undergo thermal-decomposition to give 2-adamantanone and the expected silyloxyaryl ester.

- 7. Actual half-lives could be shorter if the solvents used for storage of the dioxetanes contained impurities which could lead to catalytic decomposition. Experiments are in progress to provide a direct measure of the stability of these dioxetanes at ambient temperature.
- 8. For other adamantyl-substituted dioxetanes, see (a) Wieringa, J. H.; Strating, J.; Wynberg, H.; Adam, W. Tetrahedron Lett. 1972, 169. (b) Turro, N. J.; Schuster, G.; Steinmetzer, H. -C.; Faler, G. R.; Schaap, A. P. J. Am. Chem. Soc. 1975, 97, 7110. (c) McCapra, F.; Behesti, I.; Burford, A.; Hann, R. A.; Zaklika, K. A. J. Chem. Soc., Chem. Commun. 1977, 944. (d) Adam, W.; Encarnacion, L. A. A.; Zinner, K. Chem. Ber. 1983.
- 9. Corey, E. J.; Venkateswarlu, A. J. Am. Chem. Soc. 1972, 94, 6190. For additional references to the deprotection of alcohols with fluoride, see: Greene, T. W. in "Protective Groups in Organic Synthesis," Wiley, New York, 1981.

10. Solutions of 4b and 4c were produced by treating the silvloxy-protected esters with fluoride.

11. (a) Lee, J.; Seliger, H. H. Photochem. Photobiol. 1972, 15, 227. (b) Michael, P. R.; Faulkner, L. R. Anal. Chem. 1976, 48, 1188.

ويران بالمتواردية في ما أو يخ والعبت أراء م

- 12 Quantum yields were determined using a luminometer constructed in our laboratory with an RCA A-31034A gallium-arsenide PMT cooled to - 78 °C and Ortec photon-counting electronics.
- 13. For a discussion of the calculation of chemiluminescence quantum yields, see: Wilson, T. Int. Rev. Sci.: Phys. Chem., Ser. Two 1976, 9, 265.
- 14. Chemiluminescence spectra were acquired with a Spex Fluorolog spectrofluorometer. Correction for the decay of the chemiluminescence intensity during the wavelength scan was made by accumulating the spectrum in a ratio mode using an auxiliary detector to measure the total signal as a function of time.
- 15. Spectral grade MeCN was obtained from Burdick and Jackson Laboratories, Inc. Reagent grade DMSO from several sources gave identical quantum yields. We have used the trihydrate of n-Bu_dNF for these experiments. Other sources of fluoride produced similar results. We have noted that direct addition of fluoride to "old" samples of these solvents produces a very weak chemiluminescence in the absence of the dioxetanes;

16. For a listing of chemiexcitation efficiencies, see: Adam, W. in "Chemical and Biological Generation of Excited

States," Eds. Adam, W.; Cilento, G., Academic Press, New York, 1982, Chapter 4.

17. It should be noted, however, that use of solvents containing appreciable amounts of water with resulting lower

reactivity of fluoride leads to reaction rates that show a dependence on fluoride concentration.

18. (a) McCapra, F.; Beheshti, I.; Burford, A.; Hann, R. A.; Zaklika, K. A. J. Chem. Soc., Chem. Commun. 1977, 944. (b) Zaklika, K. A.; Thayer, A. L.; Schaap, A. P. J. Am. Chem. Soc. 1978, 100, 4916. (c) Zaklika, K. A.; Kissel, T.; Thayer, A. L.; Burns, P. A.; Schaap, A. P. Photochem. Photobiol. 1979, 30, 35. (d) Nakamura, H.; Goto, T. Ibid. 1979, 30, 29. (e) Lee, C.; Singer, L. A. J. Am. Chem. Soc. 1980, 102, 3832. (f) Schaap, A. P.; Gagnon, S. D.; Zaklika, K. A. Tetrahedron Lett. 1982, 2943.

19. (a) Schuster, G. B.; Schmidt, S. P. Adv. Phys. Org. Chem. 1982, 18, 187. (b) Adam, W.; Cueto, O. J. J. Am.

Chem. Soc. 1979, 101, 6511.

01/1113/86/2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

| • | No. Copies | | No. Copies |
|---|-----------------------|--|---------------|
| Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000 | 2 | Dr. David Young Code 334 NORDA NSTL, Mississippi 39529 | .1 |
| Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050 | . 1 | Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555 | Î |
| Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401 | 1 | Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380 | 1 |
| Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314 | 12 high quality | U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709 | 1 |
| DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401 | 1 | Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112 | 1 |
| Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000 | 1 | Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232 | 1 |

TECHNICAL REPORT DISTRIBUTION LIST, 051A

Dr. M. A. El-Sayed Department of Chemistry University of California Los Angeles, California 90024

Dr. E. R. Bernstein Department of Chemistry Colorado State University Fort Collins, Colorado 80521

Dr. J. R. MacDonald Chemistry Division Naval Research Laboratory Code 6110 Washington, D.C. 20375-5000

Dr. G. B. Schuster Chemistry Department University of Illinois Urbana,—Illinois—61801—

Dr. J.B. Halpern
Department of Chemistry
Howard University
Washington, D.C. 20059

Dr. M. S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. A. Paul Schaap Department of Chemistry Wayne State University Detroit, Michigan 49207

Dr. W.E. Moerner
I.B.M. Corporation
Almaden Research Center
650 Harry Rd.
San Jose, California 95120-6099

Dr. A.B.P. Lever
Department of Chemistry
York University
Downsview, Ontario
GANADA M3J1P3

Dr. John Cooper Code 6173 Naval Research Laboratory Washington, D.C. 20375-5000 Dr. George E. Walrafen Department of Chemistry Howard University Washington, D.C. 20059

'Dr. Joe Brandelik AFWAL/AADO-1 Wright Patterson AFB Fairborn, Ohio 45433

Dr. Carmen Ortiz Consejo Superior de Investigaciones Cientificas Serrano 121 Madrid 6, SPAIN

Dr. John J. Wright
Physics Department
University of New Hampshire
Durham, New Hampshire 03824

Dr. Kent R. Wilson Chemistry Department University of California La Jolla, California 92093

Dr. G. A. Crosby Chemistry Department Washington State University Pullman, Washington 99164

Dr. Theodore Pavlopoulos NOSC Code 521 San Diego, California 91232

Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003

Dr. J. Driscoll Lockheed Palo Alto Research Laboratory 3251 Hanover Street Palo Alto, California 94304

Or. D. N. Bennion
Department of Chemical Engineering
Brigham Young University
Provo, Utah 84602

Dr. R. A. Marcus

Department of Chemistry

California Institute of Technology

Pasadena, California 91125

Dr. J. J. Auborn
Bell Laboratories
Murray Hill, New Jersey 07974

Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135

Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063

Dr. Roger Belt Litton Industries Inc. Airtron Division Morris Plains, NJ 07950

Dr. Ulrich Stimming
Department of Chemical Engineering
Columbia University
New York, NY 10027

Dr. Manfred Breiter
Institut fur Technische Elektrochemie
Technischen Universitat Wien
9 Getreidemarkt, 1160 Wien
AUSTRIA

Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. C. E. Mueller
The Electrochemistry Branch
Naval Surface Weapons Center
White Oak Laboratory
Silver Spring, Maryland 20910

Dr. Sam Perone
Chemistry & Materials
Science Department
Lawrence Livermore National Laboratory
Livermore, California 94550

Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706

Dr. Steven Greenbaum Department of Physics and Astronomy Hunter College 695 Park Ave. New York, NY 10021

Or. M. Wrighton
Chemistry Department
Massachusetts Institute
of Technology
Cambridge, Massachusetts 02139

Dr. B. Stanley Pons Department of Chemistry University of Utah Salt Lake City, Utah 84112

Donald E. Mains
Naval Weapons Support Center
Electrochemical Power Sources Division
Crane, Indiana 47522

S. Ruby DOE (STOR) Room 5E036 Forrestal Bldg., CE-14 Washington, D.C. 20595

Dr. A. J. Bard Department of Chemistry University of Texas Austin, Texas 78712

Dr. Janet Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910

Mr. James R. Moden
Naval Underwater Systems Center
Code 3632
Newport, Rhode Island 02840

Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709

Dr. Aaron Fletcher Naval Weapons Center Code 3852 China Lake, California 93555 Dr. Michael J. Weaver
Department of Chemistry
Purdue University
West Lafayette, Indiana 47907

Dr. R. David Rauh EIC Laboratories, Inc. Norwood, Massachusetts 02062

Dr. Aaron Wold
Department of Chemistry
Brown University
Providence, Rhode Island 02192

Dr. Martin Fleischmann
Department of Chemistry
University of Southampton
Southampton SO9 5NH UNITED KINGDOM

Dr. R. A. Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. John Wilkes Air Force Office of Scientific Research Bolling AFB Washington, D.C. 20332

Dr. D. Rolison Naval Research Laboratory Code 6171 Washington, D.C. 20375-5000

Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201

Dr. Edward M. Eyring Department of Chemistry University of Utah Salt Lake City, UT 84112

Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California

Dr. Hector D. Abruna
Department of Chemistry
Cornell University
Ithaca, New York 14853

Or. A. B. P. Lever Chemistry Department York University Downsview, Ontario M3J1P3

Dr. Stanislaw Szpak Naval Ocean Systems Center Code 633, Bayside San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

M. L. Robertson
Manager, Electrochemical
and Power Sources Division
Naval Weapons Support Center
Crane, Indiana 47522

Dr. T. Marks
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210

Dr. Lesser Blum Department of Physics University of Puerto Rico Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Nathan Lewis Department of Chemistry Stanford University Stanford, California 94305 Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201

Dr. Alan Bewick
Department of Chemistry
The University of Southampton
Southampton, SO9 5NH UNITED KINGDOM

Dr. E. Anderson NAVSEA-56Z33 NC #4 541 Jefferson Davis Highway Arlington, VA

Or. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns
Emergy & Environment Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Dr. Richard Pollard Department of Chemical Engineering University of Houston Houston, Texas 77004

Dr. M. Philpott IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Donald Sandstrom Boeing Aerospace Co. P.O. Box 3999 Seattle, Washington 98124

Dr. Carl Kannewurf
Department of Electrical Engineering
and Computer Science
Northwestern University
Evanston, Illinois 60201

Dr. Joel Harris Department of Chemistry University of Utah Salt Lake City, Utah 84112

Dr. Robert Somoano Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91103

Dr. Johann A. Joebstl USA Mobility Equipment R&D Command DRDME-EC Fort Belvoir, Virginia 22060

Dr. Judith H. Ambrus NASA Headquarters M.S. RTS-6 Washington, D.C. 20546

Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 6B025 Forrestal Building Washington, D.C. 20595

Dr. J. J. Brophy Department of Physics University of Utah Salt Lake City, Utah 84112

Dr. Charles Martin Department of Chemistry Texas A&M University College Station, Texas 77843

Dr. H. Tachikawa Department of Chemistry Jackson State University Jackson, Mississippi 39217

Dr. Farrell Lytle
Boeing Engineering and
Construction Engineers
P.O. Box 3707
Seattle, Washington 98124

Dr. Robert Gotscholl U.S. Department of Energy MS G-226 Washington, D.C. 20545

Dr. Edward Fletcher Department of Mechanical Engineering University of Minnesota Minneapolis, Minnesota 55455

Dr. John Fontanella Department of Physics U.S. Naval Academy Annapolis, Maryland 21402

Dr. Martha Greenblatt
Department of Chemistry
Rutgers-University
New Brunswick, New Jersey 08903

Dr. John Wasson Syntheco, Inc. Rte 6 - Industrial Pike Road Gastonia, North Carolina 28052

Dr. Walter Roth
Department of Physics
State University of New York
Albany, New York 12222

Dr. Anthony Sammells Eltron Research Inc. 4260 Westbrook Drive, Suite 111 Aurora, Illinois 60505

Dr. C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. Thomas Davis
Polymer Science and Standards
Division
National Bureau of Standards
Washington, D.C. 20234

Dr. John Owen
Department of Chemistry and
Applied Chemistry
University of Salford
Salford M5 4WT ENGLAND

Dr. Boone Owens
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. Menahem Anderman W.R. Grace & Co. Columbia, MD 20144

Dr. J. O. Thomas University of Uppsala Institute of Chemistry Box 531 S-751 21 Uppsala, Sweden

Dr. O. Stafsudd Department of Electrical Engineering University of California Los Angeles, California 90024

SATISFACTION GUARANTEED

NTIS strives to provide quality products, reliable

defective or

Please contact us for a replacement within 30 days if the item you rec 703)605-6050 Phone: 1-888-584-8332 if we have made an error in E-mail: info@ntis.gov

service, and fast delivery

Repr duced by NTIS

National Technical Information Service Springfield, VA 22161

This report was printed specifically for your order from nearly 3 million titles available in our collection.

For economy and efficiency, NTIS does not maintain stock of its vast collection of technical reports. Rather, most documents are custom reproduced for each order. Documents that are not in electronic format are reproduced from master archival copies and are the best possible reproductions available. If you have questions concerning this document or any order you have placed with NTIS, please call our Customer Service Department at (703) 605-6050.

About NTIS

NTIS collects scientific, technical, engineering, and related business information - then organizes, maintains, and disseminates that information in a variety of formats - including electronic download, online access, CD-ROM, magnetic tape, diskette, multimedia, microfiche and paper.

The NTIS collection of nearly 3 million titles includes reports describing research conducted or sponsored by federal agencies and their contractors; statistical and business information; U.S. military publications; multimedia training products; computer software and electronic databases developed by federal agencies; and technical reports prepared by research organizations worldwide.

For more information about NTIS, call 1-800-553-6847 or 703-605-6000 and request a free copy of the NTIS Catalog, PR-827LPG, or visit the NTIS Website at http://www.ntis.gov.

Ensuring Permanent, Easy Acc ss to U.S. Government Information Ass ts



U.S. DEPARTMENT OF COMMERCE Technology Administration National Technical Information Service Springfield, VA 22161 (703) 605-6000